

Tenda



CP3

Security Pan/Tilt Camera 1080P



CP3

Security Pan/Tilt Camera 1080P

Products Description

The Pan/Tilt Security Camera CP3 is a high-performance home monitoring camera that integrates such functions as 360 ° visual coverage, 1080P video, full-duplex two-way audio, sound & light alarm and DIY audio. Three colors of your choice, including white, black and gray. It is commonly used in indoor monitoring scenarios, such as homes, shops, offices and classrooms.

Technical Specifications

Hardware Specifications	
Pan/Tilt	Horizontal rotation: 355° All-round Vision:360° vertical rotation: 155° (90° up, 65° down) support physical shutter lens
Ports	Storage: Micro SD card (Up to 256G, Class10 and above storage card) Power: DC 9V $\overline{\text{---}}$ 1A
Lens	4mm@F2.2
Button	Reset x 1
LED Indicator	Red LED indicatorx1, blue LED indicatorx1
Antenna	Internal antenna
Product Size	103mmx88mmx88mm(4.1"x3.5"x3.5")
Color	White, Black, Grey
Video Parameter	
Resolution	1920x1080
Coding Standard	Smart H.264
Day and Night Shift Mode	ICR infrared filter type
Noise Reduction	3D digital noise reduction
DWDR	Support
Backlight Compensation	Support
ROI	Support
Wireless Parameter	
Wireless Standard	IEEE 802.11b/g/n @2.4GHz
Wireless Rate	150Mbps
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Channel Width	20MHz
Frequency Band	2.4GHz from 2412MHz to 2472MHz
Transmit Power	2.4 G: <0.8W(EIRP)
Modulation	DSSS/CCK/OFDM
Others	
Smart Alarm	Motion detection, Human detection

Alarm	Sound and light alarm
Audio	Full-duplex two-way audio
DIY Audio	Up to 3 personalized audio
Auto Patrol	6 preset patrol location
Infrared Night Vision Distance	12 Meters (40ft) (Depending on environment)
Temperature	Operating temperature: -10°C~ 45°C Storage temperature: -40°C~70°C
Humidity	Operating humidity: 10%~95%RH (non-condensing) Storage humidity: 3% ~ 95%RH (non-condensing)
Certification	CE, RoHS, FCC, RCM
Package Contents	Security Pan/Tilt Camera, Power adapter (cord length: 3m) , Wall-mounted accessory kit, Quick installation guide

SHENZHEN TENDA TECHNOLOGY CO.,LTD.

Tenda Technology Bldg.Int' IE-City,
#1001 Zhong Shan Yuan Rd.,Nanshan District,Shenzhen China.

E-mail:support@tenda.com.cn

Tel:+86-755-2765 7098

Fax:+86-755-2765 7178

PC:518055

